

## REFERENCES

## REFERENCES

- About, I., Bottero, M. J., de Denato, P., Camps, J., Franquin, J. C., & Mitsiadis, T. A. (2000). Human dentin production in vitro. *Experimental Cell Research*, 258(1), 33-41.
- Agarwal, S., Holton, K. L., & Lanza, R. (2008). Efficient differentiation of functional hepatocytes from human embryonic stem cells. *Stem Cells*, 26(5), 1117–1127.
- Alhadlaq, A., & Mao, J. J. (2004). Mesenchymal stem cells: Isolation and therapeutics. *Stem Cells and Development*, 13, 436–448.
- Alison, M. R., Poulsom, R., Jeffery, R., Dhillon, A. P., Quaglia, A., Jacob, J., et al. (2000). Hepatocytes from non-hepatic adult stem cells. *Nature*, 406(6793), 257.
- Alison, M.R., Poulsom, R., Forbes, S., & Wright, N.A. (2002). An introduction to stem cells. *The Journal of Pathology*, 197(4), 419-423.
- Alison, M. R., Poulsom, R., Otto, W. R., Vig, P., Brittan, M., Direkze, N. C., et al. (2004). Recipes for adult stem cell plasticity: fusion cuisine or readymade?. *Journal of Clinical Pathology*, 57(2), 113–120.
- Alliot-Licht, B., Bluteau, G., Magne, D., Lopez-Cazaux, S., Lieubeau, B., Daculsi, G., et al. (2005). Dexamethasone stimulates differentiation of odontoblast-like cells in human dental pulp cultures. *Cell and Tissue Research*, 321(3), 391-400.
- Almushayt, A., Narayanan, K., Zaki, A. E., & George, A. (2006). Dentin matrix protein 1 induces cytodifferentiation of dental pulp stem cells into odontoblasts. *Gene Therapy*, 13(7), 611–620.
- Anderson, D. J., Gage, F. H., & Weissman, I. L. (2001). Can stem cells cross lineage boundaries?. *Nature Medicine*, 7(4), 393-395.
- Andrews, P. W., Matin, M. M., Bahrami, A. R., Damjanov, I., Gokhale, P., & Draper, J. S. (2005). Embryonic stem (ES) cells and embryonal carcinoma (EC) cells: opposite sides of the same coin. *Biochemical Society Transactions*, 33(Pt 6), 1526-1530.
- Anitua, E., Sanchez, M., Nurden, A. T., Nurden, P., Orive, G., & Andia, I. (2006). New insights into and novel applications for platelet-rich fibrin therapies. *Trends in Biotechnology*, 24(5), 227-234.
- Arterburn, L. M., Zurlo, J., Yager, J. D., Overton, R. M., & Heifetz, A. H. (1995). A morphological study of differentiated hepatocytes in vitro, *Hepatology*, 22(1), 175–187.

- Arthur, A., Rychkov, G., Shi, S., Koblar, S. A., & Gronthos, S. (2008). Adult human dental pulp stem cells differentiate toward functionally active neurons under appropriate environmental cues. *Stem Cells*, 26(7), 1787–1795.
- Augello, A., Kurth, T. B., & Bari, C. D. (2010). Mesenchymal stem cells : A perspective from in vitro cultures to in vivo migration and niches. *European Cells and Materials*, 20, 121-133
- Baharvand, H., Hashemi, S. M., & Shahsavani, M. (2008). Differentiation of human embryonic stem cells into functional hepatocyte-like cells in a serum-free adherent culture condition. *Differentiation*, 76(5), 465–477.
- Bajada, S., Mazakova, I., Richardson, J. B., & Ashammakhi, N. (2008). Updates on stem cells and their applications in regenerative medicine. *Journal of Tissue Engineering And Regenerative Medicine*, 2(4), 169-183.
- Banfi, A., Muraglia, A., Dozin, B., Mastrogiacomo, M., Cancedda, R., & Quarto, R. (2000). Proliferation kinetics and differentiation potential of ex vivo expanded human bone marrow stromal cells: Implications for their use in cell therapy. *Experimental Hematology*, 28(6), 707–715.
- Barrientos, S., Stojadinovic, O., Golinko, M. S., Brem, H., & Tomic-Canic, M. (2008). Growth factors and cytokines in wound healing. *Wound Repair & Regeneration*, 16(5), 585-601.
- Bartold, P. M. (2006). Dentinal hypersensitivity: a review. *Australian Dental Journal*, 51(3), 212-218.
- Basma, H., Soto-Gutierrez, A., Yannam, G. R., Liu, L., Ito, R., Yamamoto, T., et al. (2009). Differentiation and transplantation of human embryonic stem cell-derived hepatocytes. *Gastroenterology*, 136(3), 990–999.
- Batouli, S., Miura, M., Brahim, J., Tsutsui, T. W., Fisher, L. W., Gronthos, S., et al (2003). Comparison of stem-cell-mediated osteogenesis and dentinogenesis. *Journal of Dental Research*, 82(12), 976–981.
- Baxter, M. A., Wynn, R. F., Jowitt, S. N., Wraith, J. E., Fairbairn, L. J., & Bellantuono, I. (2004). Study of telomere length reveals rapid aging of human marrow stromal cells following in vitro expansion. *Stem Cells*, 22(5), 675–682.
- Becker, E. A., & Till, J. E. (1963). Cytological demonstration of the clonal nature of spleen colonies derived from transplanted mouse marrow cells. *Nature*, 197(4866), 452-454.
- Behbahan, I. S., Duan, Y., Lam, A., Khoobyari, S., Ma, X., Ahuja, T. P., et al., (2011). New approaches in the differentiation of human embryonic stem cells and induced pluripotent stem cells toward hepatocytes. *Stem Cell Reviews*, 7(3), 748-759.
- Belford, D. A., Rogers, M. L., Regester, G. O., Francis, G. L., Smithers, G. W., Liepe, I. J., et al. (1995). Milk-derived growth factors as serum supplements for the growth

- of fibroblast and epithelial cells. *In Vitro Cellular & Developmental Biology-Animal*, 31(10), 752-760.
- Bernardo, M. E., Avanzini, M. A., Perotti, C., Cometa, A. M., Moretta, A., Lenta, E., et al. (2007). Optimization of in vitro expansion of human multipotent mesenchymal stromal cells for cell-therapy approaches: further insights in the search for a fetal calf serum substitute. *Journal of Cell Physiology*, 211(1), 121-130.
- Bieback, K., Hecker, A., Kacaoemer, A., Lannert, H., Schallmoser, K., Strunk, D., et al. (2009). Human Alternatives to Fetal Bovine Serum for the Expansion of Mesenchymal Stromal Cells from Bone Marrow. *Stem Cell*, 27(9), 2331-2341.
- Bigdeli, N., Andersson, M., Strehl, R., Emanuelsson, K., Kilmare, E., Hyllner, J., et al. (2008). Adaptation of human embryonic stem cells to feeder-free and matrix free culture conditions directly on plastic surfaces. *Journal of Biotechnology*, 133(1), 146-153.
- Blanpain, C., Horsley, V., & Fuchs, E. (2007). Epithelial stem cells: turning over new leaves. *Cell*, 128(3), 445-458.
- Bluteau, G., Luder, H. U., De Bari, C., & Mitsiadis, T. A. (2008). Stem cells for tooth engineering. *European Cells & Materials*, 31(16), 1-9.
- Bonab, M. M., Alimoghaddam, K., Telebian, F., Ghaffari, S. H., Ghavamzadeh, A., & Nikbin, B. (2006). Aging of mesenchymal stem cell in vitro. *BMC Cell Biology*, 7, 14.
- Bongso, A., & Richards, M. (2004). History and prespective of stem cell research. *Best Practice & Research Clinical Obstetrics and Gynaecology*, 18(6), 827-842.
- Bongso, A., & Lee, E. H. (2005). Stem cells: their definition, classification and sources. In A. Bongso & E. H. Lee (Eds.), *Stem cells: from bench to bedside* (pp. 1-13). Singapore: World Scientific Publishing Co. Pte. Ltd.
- Bosch, P., Pratt, S. L., & Stice, S. L. (2006). Isolation, characterization, gene modification, and nuclear reprogramming of porcine mesenchymal stem cells. *Biology of Reproduction*, 74(1), 46-57.
- Brunner, D., Frank, J., Appl, H., Schoffl, H., Pfaller, W., & Gstraunthaler, G. (2010). Serum-free cell culture: the serum-free media interactive online database. *ALTEX*, 27(1), 53-62.
- Cai, J., Zhao, Y., Liu, Y., Ye, F., Song, Z., Qin, H., et al. (2007). Directed differentiation of human embryonic stem cells into functional hepatic cells. *Hepatology*, 45(5), 1229-1239.
- Capelli, C., Domenghini, M., Borleri, G., Bellavita, P., Poma, R., Carobbio, A., et al. (2007). Human platelet lysate allows expansion and clinical grade production of mesenchymal stromal cells from small samples of bone marrow aspirates or marrow filter washouts. *Bone Marrow Transplantation*, 40(8), 785-791.

- Caplan, A. I. (1991). Mesenchymal stem cells. *Journal of Orthopaedic Research*, 9(5), 641–650.
- Caplan, A. I., & Bruder, S. P. (2001). Mesenchymal stem cells: building blocks for molecular medicine in the 21<sup>st</sup> century. *Trends in Molecular Medicine*, 7(6), 259–264.
- Carpenter, M. K., Rosler, E., & Rao, M. S. (2003). Characterization and differentiation of human embryonic stem cells. *Cloning Stem Cells*, 5(1), 79–88.
- Chang, P. C., Huang, H. M., & Lee, S. Y. (2009, Nov). *Influences of Magnetic Cryopreservation on the Dental Pulp Stem Cells*. Paper presented at the 3rd Hiroshima Conference on Education and Science in Dentistry, Hiroshima, Japan.
- Chao, K. C., Chao, K. F., Fu, Y. S., & Liu, S. H. (2008). Islet-like clusters derived from mesenchymal stem cells in Wharton's Jelly of the human umbilical cord for transplantation to control type 1 diabetes. *PLoS One*, 3(1), e1451.
- Chase, L. G., Lakshmiopathy, U., Solchaga, L. A., Rao, M. S., & Vemuri, M. C. (2010). A novel serum-free medium for the expansion of human mesenchymal stem cells. *Stem Cells Research & Therapy*, 1(1), 8.
- Chevallier, N., Anagnostou, F., Zilber, S., Bodivit, G., Maurin, S., Barrault, A., et al. (2010). Osteoblastic differentiation of human mesenchymal stem cells with platelet lysate. *Biomaterials*, 31(2), 270–278.
- Colter, D., Class, R., DiGirolamo, C. M., & Prockop, D. J. (2000). Rapid expansion of recycling stem cells in cultures of plastic adherent cells from human bone marrow. *Proceedings of the National Academy of Science of the United States of America*, 97(7), 3213–3218.
- Crespo-Diaz, R., Behfar, A., Butlet, G. W., Padley, D. J., Sarr, M. G., Bartunek, J., et al. (2011). Platelet lysate consisting of a natural repair proteome supports human mesenchymal stem cell proliferation and chromosomal stability. *Cell Transplantation*, 20(6), 797–811.
- da Silva Meirelles, L., Chagastelles, P. C., & Nardi, N. B. (2006). Mesenchymal stem cells reside in virtually all post-natal organs and tissues. *Journal of Cell Science*, 119(Pt 11), 2204–2213.
- Dahl, J. A., Duggal, S., Coulston, N., Millar, D., Melki, J., Shahdadfar, A., et al. (2008). Genetic and epigenetic instability of human bone marrow mesenchymal stem cells expanded in autologous serum or fetal bovine serum. *The International Journal of Developmental Biology*, 52(8), 1033–1042.
- Davis, J. M. (Eds.). (2002). *Basic cell culture: a practical approach* (2nd ed.). United States of America: Oxford University Press.
- de Korompay, N., & Mayne, I. (2009). Tissue engineering and orthopaedics: stemming the tide of chronic disease. *University of Toronto Medical Journal*, 87(1), 24–28.

- de Ugarte, D. A., Morizono, K., Elbarbary, A., Alfonso, Z., Zuk, P. A., Zhu, M., et al. (2003). Comparison of multi-lineage cells from human adipose tissue and bone marrow. *Cells Tissues Organs*, 174(3), 101–109.
- Desmet, V. J. (2001). Organizational principles. In I. M. Arias, J. L. Boyer, F. V. Chisari, N. Fausto, D. Schachter, D. A. Shafritz (Eds), *The Liver: Biology and Pathobiology*, 4th Edition (pp. 3-15). Philadelphia: Lippincott Williams & Wilkins.
- Devine, S. M., & Hoffman, R. (2000). Role of mesenchymal stem cells in hematopoietic stem cell transplantation. *Current Opinion of Hematology*, 7(6), 358-363.
- Divine, J. K., Staloch, L. J., Haveri, H., Jacobsen, C. M., Wilson, D. B., Heikinheimo, M., et al. (2004). GATA-4, GATA-5, and GATA-6 activate the rat fatty acid binding protein gene in concert with HNF-1 $\alpha$ . *American Journal of Physiology, Gastrointestinal and Liver Physiology*. 287(5), G1086–G1099.
- Dominici, M., Le Blanc, K., Mueller, I., Slaper-Cortenbach, I., Marini, F., Krause, D., et al. (2006). Minimal criteria for defining multipotent mesenchymal stromal cells. The International Society for Cellular Therapy position statement. *Cytotherapy*, 8(4), 315-317.
- Duan, Y., Catana, A., Meng, Y., Yamamoto, N., He, S., Gupta, S., et al. (2007). Differentiation and enrichment of hepatocyte-like cells from human embryonic stem cells in vitro and in vivo. *Stem Cells*, 25(12), 3058-3068.
- Duan, Y., Ma, X., Zou, W., Wang, C., Bahbahan, I. S., Ahuja, T. P., et al. (2010). Differentiation and characterization of metabolically functioning hepatocytes from human embryonic stem cells. *Stem Cells*, 28(4), 674–686.
- Duncan, S. A., Manova, K., Chen, W. S., Hoodless, P., Weinstein, D. C., Bachvatrova, R. F., et al. (1994). Expression of transcription factor HNF-4 in the extraembryonic endoderm, gut, and nephrogenic tissue of the developing mouse embryo: HNF-4 is a marker for primary endoderm in the implanting blastocyst. *Proceeding of the National Academy of Science of the United States of America*, 91(16), 7598-7602.
- Dormont, D. (1999). Transmissible spongiform encephalopathy agents and animal sera. *Development in Biological Standardization*, 99, 25-34.
- Doucet, C., Ernou, I., Zhang, Y., Llense, J. R., Begot, L., Holy, X., et al. (2005). Platelet lysates promote mesenchymal stem cell expansion: a safety substitute for animal serum in cell-based therapy applications. *Journal of Cellular Physiology*, 205(2), 228-236.
- D'Amour, K. A., Agulnick, A. D., Eliazar, S., Kelly, O. G., Kroon, E., & Baetge, E. E. (2005). Efficient differentiation of human embryonic stem cells to definitive endoderm. *Nature Biotechnology*, 23(12), 1534–1541.

- d'Aquino, R., Graziano, A., Sampaolesi, M., Laino, G., Pirozzi, G., De Rosa, A., et al. (2007). Human postnatal dental pulp cells co-differentiate into osteoblasts and endotheliocytes: a pivotal synergy leading to adult bone tissue formation. *Cell Death and Differentiation*, 14(6), 1162–1171.
- d'Aquino, R., De Rosa, A., Lanza, V., Tirino, V., Laino, L., Graziano, A., et al. (2009). Human mandible bone defect repair by the grafting of dental pulp stem/progenitor cells and collagen sponge biocomplexes. *European Cells & Materials*, 12(18), 75–83.
- D'Ippolito, G., Schiller, P. C., Ricordi, C., Roos, B. A., & Howard, G. A. (1999). Age-related osteogenic potential of mesenchymal stromal stem cells from human vertebral bone marrow. *Journal of Bone and Mineral Research*, 14(7), 1115–1122.
- Erickson, C. A., & Reedy, M. V. (1998). Neural crest development: the interplay between morphogenesis and cell differentiation. *Current Topics in Developmental Biology*, 40, 177–209.
- Evans, M. J., & Kaufman, M. H. (1981). Establishment in culture of pluripotential cells from mouse embryos. *Nature*, 292(5819), 154–156.
- Fallowfield, J. A., & Iredale, J. P. (2004) Targeted treatments for cirrhosis. *Expert Opinion of Therapeutics Targets*, 8(5), 423–435.
- Falkner, E., Appl, H., Eder, C., Losert, U. M., Schoffl, H., & Pfaller, W. (2006). Serum free cell culture: the free access online database. *Toxicology In Vitro*, 20(3), 395–400.
- Fairchild, P. J., Cartland, S., Nolan, K. F., & Waldmann, H. (2004). Embryonic stem cells and the challenge of transplantation tolerance. *Trends in Immunology*, 25(9), 465–470.
- Frandsen, R. D., & Spurgeon, T. L. (2007). *Anatomy and Physiology of Farm Animals*. Ames: Wiley-Blackwell.
- Freshney, R. I. (2005). *Culture of animal cells: a manual of basic technique* (5th ed.). New Jersey: John Wiley & Sons, Inc.
- Friedenstein, A. Y., & Lalykina, K. S. (1970). Lymphoid cell population are competent systems for induced osteogenesis. *Calcified Tissue Research, Supplement 1*, 105–106.
- Froud, S. J. (1999). The development, benefits and disadvantages of serum-free media. *Development in Biological Standardization*, 99, 157–166.
- Fodor, W. L. (2003). Tissue engineering and cell based therapies, from the bench to the clinic: the potential to replace, repair and regenerate. *Reproductive Biology and Endocrinology*, 13(1), 102.

- Fox, I. J., Chowdhury, J. R., Kaufman, S. S., Goertzen, T. C., Chowdhury, N. R., Warkentin, P. I., et al. (1998). Treatment of the Crigler-Najjar syndrome type I with hepatocyte transplantation. *The New England Journal of Medicine*, 338(20), 1422–1426.
- Funakoshi, N., Duret, C., Pascussi, J. M., Blanc, P., Maurel, P., Daujat-Chavanieu, M., et al., (2011). Comparison of hepatic-like cell production from human embryonic stem cells and adult liver progenitor cells: CAR transduction activates a battery of detoxification genes. *Stem Cell Reviews*, 7(3), 518–531.
- Gandia, C., Armiñan, A., García-Verdugo, J. M., Lledó E., Ruiz, A., Miñana, M. D., et al. (2008). Human dental pulp stem cells improve left ventricular function, induce angiogenesis, and reduce infarct size in rats with acute myocardial infarction. *Stem Cells*, 26(3), 638–645.
- Gang, E. J., Bosnakovski, D., Figueiredo, C. A., Visser, J. W., & Perlingeiro, R. C. (2007). SSEA-4 identifies mesenchymal stem cells from bone marrow. *Blood*, 109(4), 1743-1751.
- Gay, I. C., Chen, S., & MacDougall, M. (2007). Isolation and characterization of multipotent human periodontal ligament stem cells. *Orthodontics & Craniofacial Research*, 10(3), 149-160.
- Gewartowska, M., & Olszewski, W. L. (2007). Hepatocyte transplantation-biology and application. *Annals of Transplantation*, 12(1), 27-36.
- Gimble, J. M. (2003). Adipose tissue-derived therapeutics. *Expert Opinion on Biological Therapy*, 3(5), 705-713.
- Gimble, J. M., Katz, A. J., & Bunnell, B. A. (2007). Adipose-derived stem cells for regenerative medicine. *Circulation Research*, 100(9), 1249–1260.
- Govindasamy, V., Ronald, V. S., Abdullah, A. N., Ganesan Nathan, K. R., Aziz, Z. A., Abdullah, M., et al., (2011). Human platelet lysate permits scale-up of dental pulp stromal cells for clinical applications. *Cytotherapy*, 13(10), 1221-1233.
- Graziano, A., d'Aquino, R., Laino, G., & Papaccio, G. (2008). Dental pulp stem cells: a promising tool for bone regeneration. *Stem Cell Reviews*, 4(1), 21-26.
- Gronthos, S., Mankani, M., Brahimi, J., Robey, P. G., & Shi, S. (2000). Postnatal human dental pulp stem cells (DPSCs) in vitro and in vivo. *Proceedings of the National Academy Sciences of the United States of America*, 97(25), 13625-13630.
- Gronthos, S., Brahimi, J., Li, W., Fisher, L. W., Cherman, N., Boyde, A., et al. (2002). Stem cell properties of human dental pulp stem cells. *Journal of Dental Research*, 81(8), 531–535.
- Grove, J. E., Bruscia, E., & Krause, D. S. (2004). Plasticity of bone marrow-derived stem cells. *Stem Cells*, 22(4), 487-500.



- Gruen, L., & Grabel, L. (2006). Concise review: scientific and ethical roadblocks to human embryonic stem cell therapy. *Stem Cells*, 24(10), 2162-2169.
- Gstraunthaler, G. (2003). Alternatives to the use of fetal bovine serum: serum-free cell culture. *ALTEX*, 20(4), 275-281.
- Guidotti, J. E., Bregerie, O., Robert, A., Debey, P., Brechot, C., & Desdouets, C. (2003). Liver cell polyploidization: a pivotal role for binuclear hepatocytes. *The Journal of Biological Chemistry*, 278(21), 19095-19101.
- Guilak, F. (2002). Functional tissue engineering: the role of biomechanics in reparative medicine. *Annals of the New York Academy of Science*, 961, 193-195.
- Gurdon, J. B. (1992). The generation of diversity and pattern in animal development. *Cell*, 68(2), 185-199.
- Handa, K., Saito, M., Tsunoda, A., Yamauchi, M., Hattori, S., Sato, S., et al. (2002). Progenitor cells from dental follicle are able to form cementum matrix in vivo. *Connective Tissue Research*, 43(2-3), 406-408.
- Harada, H., Kettunen, P., Jung, H. S., Mustonen, T., Wang, Y. A., & Thesleff, I. (1999). Localization of putative stem cells in dental epithelium and their association with Notch and FGF signaling. *The Journal of Cell Biology*, 147(1), 105-120.
- Hayflick, L., & Moorhead, P. S. (1961). The serial cultivation of human diploid cell strains. *Experimental Cell Research*, 25, 585-621.
- Heins, N., Englund, M. C., Sjoblom, C., Dahl, U., Tonning, A., Bergh, C., et al. (2004). Derivation, characterization, and differentiation of human embryonic stem cells. *Stem Cells*, 22(3), 367-376.
- Hima Bindu, A., & Srilatha, B. (2011). Potency of various types of stem cells and their transplantation. *Journal of Stem Cell research & Therapy*, doi:10.4172/2157-7633.1000115.
- Honda, M., Sumita, Y., Kagami, H., Asahina, I., & Ueda, M. (2007). Enamel-dentin and dentin-cementum complex structure formation in tooth-tissue regeneration. *European Cell Materials*, 14, 60.
- Horwitz, E. M., Gordon, P. L., Koo, W. K. K., Marx, J. C., Neel, M. D., McNall, R. Y., et al. (2002). Isolated allogenic bone marrow-derived mesenchymal cells engraft and stimulate growth in children with osteogenesis imperfect: Implications for cell therapy of bone. *Proceedings of the National Academy Science*, 99 (13), 8932-8937.
- Huang, G. T., Sonoyama, W., Liu, Y., Liu, H., Wang, S., & Shi, S. (2008). The hidden treasure in apical papilla: the potential role in pulp/dentin regeneration and bioroot engineering. *Journal of Endodontic*, 34(6), 645-651.

- Huang, Y. H., Yang, J. C., Wang, C. W., & Lee, S. Y. (2010). Dental stem cells and tooth banking for regenerative medicine. *Journal of Experimental and Clinical Medicine*, 2(3), 111-117.
- Hyun, I., Lindvall, O., Ahrlund-Richter, L., Cattaneo, E., Cavazzana-Calvo, M., Cossu, G., et al. (2008). New ISSCR guidelines underscore major principles for responsible translational stem cell research. *Cell Stem Cell*, 3(6), 607-609.
- Ikeda, E., Yagi, K., Kojima, M., Yagyuu, T., Ohshima, A., Sobajima, S., et al. (2008). Multipotent cells from the human third molar: feasibility of cell-based therapy for liver disease. *Differentiation*, 76(5), 495-505.
- Iohara, K., Nakashima, M., Ito, M., Ishikawa, M., Nakasima, A., & Akamine, A. (2004). Dentin regeneration by dental pulp stem cell therapy with recombinant human bone morphogenetic protein 2. *Journal of Dental Research*, 83(8), 590-595.
- Iohara, K., Zheng, L., Wake, H., Ito, M., Nabekura, J., Wakita, H., et al. (2008). A novel stem cell source for vasculogenesis in ischemia: subfraction of side population cells from dental pulp. *Stem cells*, 26(9), 2408-2418.
- Ishizaka, S., Shiroy, A., Kanda, S., Yoshikawa, M., Tsujinoue, H., Kuriyama, S., et al. (2002). Development of hepatocytes from ES cells after transfection with the HNF-3beta gene. *Faseb Journal*, 16(11), 1444-1446.
- Ishkitiev, N., Yaegaki, K., Calenic, B., Nakahara, T., Ishikawa, H., Mitiev, V., et al. (2010). Deciduous and permanent dental pulp mesenchymal cells acquire hepatic morphologic and functional features in vitro. *Journal of Endodontics*, 36(3), 911-920.
- Jernvall, J., & Thesleff, I. (2000). Reiterative signaling and patterning during mammalian tooth morphogenesis. *Mechanisms of Development*, 92(1), 19-29.
- Jiang, Y., Jahagirdar, B. N., Reinhardt, R. L., Schwartz, R. E., Keene, C. D., Ortiz-Gonzalez, X. R., et al. (2002). Pluripotency of mesenchymal stem cells derived from adult marrow. *Nature*, 418(6893), 41-49.
- Jochems, C. E., van der Valk, J. B., Stafleu, F. R., & Baumans, V. (2002). The use of fetal bovine serum: ethical or scientific problem. *Alternatives to Laboratory Animals*, 30(2), 219-227.
- Johansson, L., Klinth, J., Holmqvist, O., & Ohlson, S. (2003). Platelet lysate: a replacement for fetal bovine serum in animal cell culture?. *Cytotechnology*, 42(2), 67-74.
- Jo, Y. Y., Lee, H. J., Kook, S. Y., Choung, H. W., Park, J. Y., Chung, J. H., et al. (2007). Isolation and characterization of postnatal stem cells from human dental tissues. *Tissue Engineering*, 13(4), 767-773.

- Kadner, A., Hoerstrup, S. P., Tracy, J., Breymann, C., Maurus, C. F., Melnitchouk, S., et al. (2002). Human umbilical cord cells: a new cell source for cardiovascular tissue engineering. *The Annals of Thoracic Surgery*, 74(4), S1422-S1428.
- Kadar, K., Kiraly, M., Porcsalmy, B., Molnar, B., Racz, G. Z., Blazsek, J., et al. (2009). Differentiation potential of stem cells from human dental origin - promise for tissue engineering. *Journal of Physiology and Pharmacology*, 60 (supple 7), 167-175.
- Kakinuma, S., Nakauchi, H., & Watanabe, M. (2009). Hepatic stem/progenitor cells and stem-cell transplantation for the treatment of liver disease. *Journal of Gastroenterology*, 44(3), 167-172.
- Kamiya, A., & Gonzalez, F. J. (2004). TNF- $\alpha$  regulates mouse fetal hepatic maturation induced by oncostatin M and extracellular matrices. *Hepatology*, 40(3), 527-536.
- Kawashita, Y., Guha, C., Yamanouchi, K., Ito, K., Kamahara, Y., & Kanematsu, T. (2005). Liver population: a new concept of hepatocyte transplantation. *Surgery Today*, 35(9), 705-710.
- Kazemnejad, S., Allameh, A., Gharehbaghian, A., Soleimani, M., Amirizadeh, N., & Jazayeri, M. (2008). Efficient replacing of fetal bovine serum with human platelet releasate during propagation and differentiation of human bone marrow-derived mesenchymal stem cells to functional hepatocytes-like cells. *Vox Sanguinis*, 95(2), 149-158.
- Kelley, C., Yee, K., Harland, R., & Zon, L. I. (1994). Ventral expression of GATA-1 and GATA-2 in the *Xenopus* embryo defines induction of hematopoietic mesoderm. *Developmental Biology*, 165(1), 193-205.
- Kemoun, P., Laurencin-Dalcieux, S., Rue, J., Farges, J. C., Gennero, I., et al. (2007). Human dental follicle cells acquire cementoblast features under stimulation by BMP- 2/-7 and enamel matrix derivatives (EMD) in vitro. *Cell and Tissue Research*, 329(2), 283-294.
- Khurana, S., Jaiswal, A. K., & Mukhopadhyay, A. (2009). Hepatocyte nuclear factor-4 $\alpha$  induces transdifferentiation of hematopoietic cells into hepatocytes. *Journal of Biological Chemistry*, 285(7), 4725-4731.
- Kiessling, A. A., & Anderson, S. C. (2003). *Human embryonic stem cells*. Boston: Jones and Bartlett.
- Kilian, O., Flesch, I., Wensch, S., Taborski, B., Jork, A., Schnettler, R., et al. (2004). Effects of platelet growth factors on human mesenchymal stem cells and human endothelial cells in vitro. *European Journal of Medicine Research*, 9(7), 337-344.
- Kim, S., Honmou, O., Kato, K., Nonaka, T., Houkin, K., Hamada, H., et al. (2006). Neural differentiation potential of peripheral blood- and bone-marrow-derived precursor cells. *Brain Research*, 1123(1), 27-33.

- Kitagawa, M., Ueda, H., Iizuka, S., Sakamoto, K., Oka, H., Kudo, Y., et al. (2007). Immortalization and characterization of human dental pulp cells with odontoblastic differentiation. *Archieve of Oral Biology*, 52(8), 727–731.
- Kitoh, H., Kitakoji, T., Tsuchiya, H., Mitsuyama, H., Nakamura, H., Katoh, M., et al. (2004). Transplantation of marrow-derived mesenchymal stem cells and platelet-rich plasma during distraction osteogenesis-a preliminary result of three cases. *Bone*, 35(4), 892-898.
- Kobayashi, T., Watanabe, H., Yanagawa, T., Tsutsumi, S., Kayakabe, M., Shinozaki, T., et al. (2005). Motility and growth of human bone-marrow mesenchymal stem cells during ex vivo expansion in autologous serum. *The Journal of Bone and Joint Surgery*, 87(10), 1426-1433.
- Kocaoemer, A., Kern, S., Kluter, H., & Bieback, K. (2007). Human AB serum and thrombin-activated platelet-rich plasma are suitable alternatives to fetal calf serum for the expansion of mesenchymal stem cells from adipose tissue. *Stem Cells*, 25(5), 1270-1278.
- Kollar, E. J., & Baird, G. R. (1970). Tissue interactions in embryonic mouse tooth germs: II. The inductive role of the dental papilla. *Journal of Embryology and Experimental Morphology*, 24(1), 173-186.
- Koussoulakuo, D. S., Margaritis, L. H., & Koussoulakos, S. L. (2009). A curriculum vitae of teeth : evaluation, generation, regeneration. *International Journal of Biological Sciences*, 5(3), 226-243.
- Kozlowski, M., Gajewska, M., Majewska, A., Jank, M., & Motyl, T. (2009). Differences in growth and transcriptomic profile of bovine mammary epithelial monolayer and here-dimensional cell cultures. *Journal of Physiology and Pharmacology*, 60 (Suppl 1), 5-14.
- Lagasse, E., Connors, H., Al-Dhalimy, M., Reitsma, M., Dohse, M., Osborne, L., et al. (2000). Purified hematopoietic stem cells can differentiate into hepatocytes *in vivo*. *Nature Medical*, 6(11), 1229-1234.
- Laino, G., d'Aquino, R., Graziano, A., Lanza, V., Carinci, F., Naro, F., et al. (2005). Dental pulp stem cells can be detected in aged humans: a useful source for living autologous fibrous bone tissue (LAB). *Journal of Bone and Mineral Research*, 20(8), 1394–1402.
- Laino, G., Graziano, A., d'Aquino, R., Pirozzi, G., Lanza, V., Valiante, S., et al. (2006). An approachable human adult stem cell source for hard-tissue engineering. *Journal of Cellular Physiology*, 206(3), 693–701.
- Lange, C., Cakiroglu, F., Spiess, A. N., Cappallo-Obermann, H., Dierlamm, J., & Zander, A. R. (2007). Accelerated and safe expansion of human mesenchymal stromal cells in animal serum-free medium for transplantation and regenerativemedicine. *Journal of Cellular Physiology*, 213(1), 18–26.

- Laughlin, M. J. (2001). Umbilical cord blood for allogeneic transplantation in children and adults. *Bone Marrow Transplantation*, 27(1), 1–6.
- Lee, K., Berthiaume, F., Stephanopoulos, G. N., & Yarmush, M. L. (2003). Profiling of dynamic changes in hypermetabolic livers. *Biotechnology and Bioengineering*, 83(4), 400–415.
- Lee, R. H., Kim, B., Choi, I., Kim, H., Choi, H. S., Suh, K., et al. (2004). Characterization and expression analysis of mesenchymal stem cells from human bone marrow and adipose tissue. *Cellular Physiology and Biochemistry*, 14(4-6), 311-324.
- Lengerke, C., Fehm, T., Kurth, R., Neubauer, H., Scheble, V., Muller, F., et al. (2011). Expression of the embryonic stem cell marker SOX2 in early-stage breast carcinoma. *BMC Cancer*, 11, 42.
- Levicar, N., Dimarakis, I., Flores C., Tracey, J., Gordon, M.Y., & Habib, N.A. (2007). Stem cells as a treatment for chronic liver disease and diabetes. *Handbook of Experimental Pharmacology*, 180, 243-262.
- Levinson D. M., & Benvenisty, N. (1997). Involvement of hepatocyte nuclear factor 3 in endoderm differentiation of embryonic stem cells. *Molecular and Cellular Biology*, 17 (7), 3817-3822.
- Levy, O., Dvir, T., Tsur-Gang, O., Granot, Y., & Cohen, S. (2008). Signal transducer and activator of transcription 3-A key molecular switch for human mesenchymal stem cell proliferation. *The International Journal of Biochemistry and Cell Biology*, 40(11), 2606–2618.
- Li, B., Zheng, Y. W., Sano, Y., & Taniguchi, H. (2011). Evidence for mesenchymal-epithelial transition associated with mouse hepatic stem cell differentiation. *PLoS One*, 6(2), e17092.
- Lisi, S., Peterkova, R., Peterka, M., Vonesch, J. L., Ruch, J. V., & Lesot, H. (2007). Tooth morphogenesis and pattern of odontoblast differentiation. *Connective Tissue Research*, 44 (suppl 1), 167-170.
- Luisi, S. B., Barbachan, J. J., Chies, J. A., & Filho, M. S. (2007). Behavior of human dental pulp cells exposed to transforming growth factor-beta1 and acidic fibroblast growth factor in culture. *Journal of Endodontics*, 33(7), 833–835.
- Liu, Y., Zheng, Y., Ding, G., Fang, D., Zhang, C., Bartold, P. M., et al. (2008). Periodontal ligament stem cell-mediated treatment for periodontitis in miniature swine. *Stem Cells*, 26(4), 1065–1073.
- Lopez-Cazaux, S., Bluteau, G., Magne, D., Lieubeau, B., Guicheux, J., & Alliot-Linht, B. (2006). Culture medium modulates the behavior of human dental pulp derived cells:technical note. *European Cells and Materials*, 11, 35–42.

- Lyssiotis, C. A., Lairson, L. L., Boitano, A. E., Wurdak, H., Zhu, S., & Schultz, P. G. (2011). Chemical control of stem cell fate and developmental potential. *Angewandte Chemie International Edition*, 50(1), 200-242.
- MacNeil, R. L., & Thomas, H. F. (1993). Development of the murine periodontium. II. Role of the epithelial root sheath in formation of the periodontal attachment. *Journal of Periodontology*, 64(4), 285-291.
- Maitra, A., Arking, D. E., Shivapurkar, N., Ikeda, M., Stastny, V., Kassaei, K., et al. (2005). Genomic alterations in cultured human embryonic stem cells. *Nature Genetics*, 37(10), 1099-1103.
- Mao, J. J., Giannobile W. V., Helms J. A., Hollister S. J., Krebsbach, P. H., Longaker, M. T., et al. (2006). Craniofacial tissue engineering by stem cells. *Journal of Dental Research*, 85(11), 966-979.
- Marion, N. W., & Mao, J. J. (2006). Mesenchymal stem cells and tissue engineering. *Methods in Enzymology*, 420, 339-361.
- Masato, K., Hiroko, K., Toshitsugu, K., Masako, T., Shinya, K., Masahide, M., et al. (2007). Cryopreservation of PDL cells by use of program freezer with magnetic field for teeth banking. *Dental Japan*, 43, 82-86.
- Masters, J. R. W. (Eds.). (2000). *Animal cell culture: a practical approach* (3rd ed.). United States of America: Oxford University Press.
- Messam, C. A., Hou, J., & Major, E. O. (2000). Coexpression of nestin in neural and glial cells in the developing human CNS defined by a human-specific anti-nestin antibody. *Experimental Neurology*, 161(2), 585-596.
- Michalopoulos, G. K., & DeFrances, M. C. (1997). Liver regeneration. *Science*, 276(5309), 60-66.
- Michalopoulos, G. K., Bowen, W. C., Mule, K., & Luo, J. (2003). HGF-, EGF-, and dexamethasone-induced gene expression patterns during formation of tissue in hepatic organoid cultures. *Gene Expression*, 11(2), 55-75.
- Mirabet, V., Solves, P., Minana, M. D., Encabo, A., Carbonell-Uberos, F., Blanquer, A., et al., (2008). Human platelet lysate enhances the proliferative activity of cultured human fibroblast-like cells from different tissues. *Cell and Tissue Banking*, 9(1), 1-10.
- Mitsiadis, T. A., & Rahiotis, C. (2004). Parallels between tooth development and repair: conserved molecular mechanisms following carious and dental injury. *Journal of Dental Research*, 83(12), 896- 902.
- Miura, M., Gronthos, S., Zhao, M., Lu, B., Fisher, L. W., Robey, P. G., et al. (2003). SHED: Stem cells from human exfoliated deciduous teeth. *Proceedings of the National Academy of Science of the United States of America*, 100(10), 5807-5812.

- Miyazaki, M., Akiyama, I., Sakaguchi, M., Nakashima, E., Okada, M., Kataoka, K., et al. (2002). Improved conditions to induce hepatocytes from rat bone marrow cells in culture. *Biochemical and Biophysical Research Communication*, 298(1), 24-30.
- Moe, M. C., Varghese, M., Danilov, A. I., Westerlund, U., Ramm-Petersen, J., Brundin, L., et al. (2005). Multipotent progenitor cells from the adult human brain: neurophysiological differentiation to mature neurons. *Brain*, 128(Pt 9), 2189-2199.
- Mohd Hilmi, A. B., Fazliah, S. N., Siti Fadilah, A., Asma, H., Siti Razila, A. R., Shaharum, S., et al. (2008). Stem cells from children's teeth. *Journal of Orofacial Sciences*, 3(1), 213-231.
- Moretti, P., Hatlapatka, T., Marten, D., Lavrentieva, A., Majore, I., Hass, R., et al. (2010). Mesenchymal stromal cells derived from human umbilical cord tissues: primitive cells with potential for clinical and tissue engineering applications. *Advances in Biochemical Engineering/Biotechnology*, 123, 29-54.
- Morikawa, Y., & Cserjesi, P. (2004). Extra-embryonic vasculature development is regulated by the transcription factor HAND1. *Development*, 131(9), 2195-2204.
- Morin, O., Goulet, F., & Normand, C. (1988). Liver sinusoidal endothelial cells: isolation, purification, characterization and interaction with hepatocytes. *Revisiões sobre Biologia Celular*, 15, 1-85.
- Morotomi, T., Kawano, S., Toyono, T., Kitamura, C., Terashita, M., Uchida, T., et al. (2005). In vitro differentiation of dental epithelial progenitor cells through epithelial-mesenchymal interactions. *Archives of Oral Biology*, 50(8), 695-705.
- Morsczeck, C., Gotz, W., Schierholz, J., Zeilhofer, F., Kuhn, U., Mohl, C., et al. (2005). Isolation of precursor cells (PCs) from human dental follicle of wisdom teeth. *Matrix Biology*, 24(2), 155-165.
- Morsczeck, C., Reichert, T. E., Vollner, F., Gerlach, T., & Driemel, O. (2007). The state of the art in human dental stem cell research. *Mund-, Kiefer-und Gesichtschirurgie*, 11(5), 259-266.
- Moynihan, P., & Petersen, P. E. (2004). Diet, nutrition and the prevention of dental diseases. *Public Health Nutrition*, 7(1A), 201-226.
- Muller, I., Kordowich, S., Holzwarth, C., Spano, C., Isensee, G., Staiber, A., et al. (2006). Animal serum-free culture conditions for isolation and expansion of multipotent mesenchymal stromal cells from human BM. *Cytotherapy*, 8(5), 437-444.
- Najimi, M., & Sokal, E. (2005). Liver cell transplantation. *Minerva Pediatrica*, 57(5), 243-257.

- Nakao, K., Morita, R., Saji, Y., Ishida, K., Tomita, Y., Ogawa, M., et al. (2007). The development of a bioengineered organ germ method. *Nature Methods*, 4(3), 227-230.
- Nakaya, Y., & Sheng, G. (2008). Epithelial to mesenchymal transition during gastrulation: an embryological view. *Development, Growth & Differentiation*, 50(9), 755-766.
- Nedredal, G. I., Elvevold, K. H., Ytrebo, L. M., Olsen, R., Revhaug, A., & Smedsrod, B. (2003). Liver sinusoidal endothelial cells represents an important blood clearance system in pigs. *Comparative Hepatology*, 2(1), 1.
- Nimura, A., Muneta, T., Koga, H., Mochizuki, T., Suzuki, K., Makino, H., et al., (2008). Increased proliferation of human synovial mesenchymal stem cells with autologous human serum: comparison with human bone marrow mesenchymal stem cells and with fetal bovine serum. *Arthritis and Rheumatism*, 58(2), 501-510.
- Niwa, H., Miyazaki, J., & Smith, A.G. (2000). Quantitative expression of Oct-3/4 defines differentiation, dedifferentiation or self-renewal of ES cells. *Nature Genetics*, 24 (4), 372-376.
- Niwa, H. (2007). How is pluripotency determined and maintained?. *Development*, 134(4), 635-646.
- Ng, F., Boucher, S., Koh, S., Sastry, K. S., Chase, L., Lakshmipathy, U., et al. (2008). PDGF, TGF-beta, and Fgf signaling is important for differentiation and growth of mesenchymal stem cells (MSCs): Transcriptional profiling can identify markers and signaling pathways important in differentiation of MSCs into adipogenic, chondrogenic, and osteogenic lineages. *Blood*, 112(2), 295–307.
- Nurden, A. T., Nurden, P., Sanchez, M., Andia, I., & Anitua, E. (2008). Platelets and wound healing. *Frontiers in Bioscience*, 1(13), 3532-3548.
- Ochiya, T., Yamamoto, Y., & Banas, A. (2010). Commitment of stem cells into functional hepatocytes. *Differentiation*, 79(2), 65-73.
- Oh, S. H., Miyazaki, M., Kouchi, H., Inoue, Y., Sakaguchi, M., Tsuji, T., et al. (2000). Hepatocyte growth factor induces differentiation of adult rat bone marrow cells into a hepatocyte lineage in vitro. *Biochemical and Biophysical Research Communication*, 279(2), 500-504.
- Ohashi, K., Park, F., & Kay, M. A. (2001). Hepatocyte transplantation: clinical and experimental application. *Journal of Molecular Medicine*, 79(11), 617-630.
- Ohazama, A., Modino, S. A., Miletich, I., & Sharpe, P. T. (2004). Stem-cell-based tissue engineering of murine teeth. *Journal of Dental Research*, 83(7), 518–522.
- Orkin, S. H. (2000). Diversification of haematopoietic stem cells to specific lineages. *Nature Reviews, Genetics*, 1(1), 57-64.



- Papaccio, G., Graziano, A., d'Aquino, R., Graziano, M. F., Pirozzi, G., Menditti, D., et al. (2006). Long-term cryopreservation of dental pulp stem cells (SBP-DPSCs) and their differentiated osteoblasts: a cell source for tissue repair. *Journal of Cellular Physiology*, 208(2), 319–325.
- Pashley, D. H., Walton, R. E., & Slavkin, H. C. (2002). Histology and physiology of dental pulp. In J. I. Ingle & L. K. Bakland (Eds.), *Endodontics: fifth edition* (pp. 25-61). London: BC Decker Inc.
- Passier, R., & Mummery, C. (2003). Origin and use of embryonic and adult stem cells in differentiation and tissue repair. *Cardiovascular Research*, 158(2), 324-335.
- Pawlowski, K. M., Krol, M., Majewska, A., Badowska-Kozakiewicz, A., Mol, J. A., Malicka, E., et al. (2009). Comparison of cellular and tissue transcriptional profiles in canine mammary tumor. *Journal of Physiology and Pharmacology*, 60(Suppl 1), 85-94.
- Pazos, P., Boveri, M., Gennari, A., Casado, J., Fernandez, F., & Prieto, P. (2004). Culturing cells without serum: lessons learnt using molecules of plant origin. *ALTEX*, 21(2), 67-72.
- Peptan, I. A., Hong, L., & Mao, J. J. (2006). Comparison of osteogenic potentials of visceral and subcutaneous adipose-derived cells of rabbits. *Plastic and Reconstructive Surgery*, 117(5), 1462–1470.
- Perry, B. C., Zhou, D., Wu, X., Yang, F. C., Byers, M. A., Chu, T. M., et al (2008). Collection, cryopreservation, and characterization of human dental pulp-derived mesenchymal stem cells for banking and clinical use. *Tissue Engineering Part C, Methods*, 14(2), 149-156.
- Petersen, B. E., Bowen, W. C., Patrene, K. D., Mars, W. M., Sullivan, A. K., Murase, N., et al. (1999). Bone marrow as a potential source of hepatic oval cells. *Science*, 284(5417), 1168-1170.
- Petersen, B. E., Goff, J. P., Greenberger, J. S., & Michalopoulos, G. K. (1998). Hepatic oval cells express the hematopoietic stem cell marker Thy-1 in the rat. *Hepatology*, 27(2), 433-445.
- Pierdomenico, L., Bonsi, L., Calvitti, M., Rondelli, D., Arpinati, M., Chirumbolo, G., et al. (2005). Multipotent mesenchymal stem cells with immunosuppressive activity can be easily isolated from dental pulp. *Transplantation*, 80(6), 836–842.
- Pittenger, M. F., Mackay, A. M., Beck, S. C., Jaiswal, R. K., Douglas, R., Mosca, J. D., et al. (1999). Multilineage potential of mesenchymal stem cells. *Science*, 284(5411), 143-147.
- Popovic, J. R., & Kozak, L. J. (2000). National hospital discharge survey: annual summary, 1998. *Vital and Health Statistics: Series 13*, 148, 1-194.

- Prescott, R. S., Alsanea, R., Fayad, M. I., Johnson, B. R., Wenckus, C. S., Hao, J., et al. (2008). In vivo generation of dental pulp-like tissue by using dental pulp stem cells, a collagen scaffold, and dentin matrix protein 1 after subcutaneous transplantation in mice. *Journal of Endodontic*, 34(4), 421–426.
- Preti, R. A. (2001). Challenges associated with the development, manufacturing, and delivery of cellular medicines. *Cancer Journal*, 7(Suppl 2), S62-66.
- Rajvanshi, P., Kerr, A., Bhargava, K. K., Burk, R. D., & Gupta, S. (1996). Efficacy and safety of repeated hepatocyte transplantation for significant liver population in rodents. *Gastroenterology*, 111(4), 1092-1102.
- Rauch, C., Feifel, E., Amann, E. M., Spotl, H. P., Schennach, H., Pfaller, W., et al. (2011). Alternatives to the use of fetal bovine serum: human platelet lysates as a serum substitute in cell culture media. *ALTEX*, 28(4), 305-316.
- Reed, G. L. (2007). Platelet secretion. In A. D. Michelson (Ed.), *Platelets*, 2nd Edition (pp. 309-318). San Diego: Elsevier.
- Reinisch, A., Bartmann, C., Rohde, E., Schallmoser, K., Bjelic-Radisic, V., Lanzer, G., et al. (2007). Humanized system to propagate cord blood-derived multipotent mesenchymal stromal cells for clinical application, *Regenerative Medicine*, 2(4), 371–382.
- Reubinoff, B. E., Pera, M. F., Fong, C. Y., Trounson, A., & Bongso, A. (2000). Embryonic stem cell lines from human blastocysts: somatic differentiation in vitro. *Nature Biotechnology*, 18(4), 399-404.
- Riley, P., Anson-Cartwright, L., & Cross, J. C. (1998) .The Hand1 bHLH transcription factor is essential for placentation and cardiac morphogenesis. *Nature Genetics*, 18(3), 271-275.
- Rimondini, L., & Mele, S. (2009). Stem cell technologies for tissue regeneration in dentistry. *Minerva Stomatologica*, 58(10), 483-500.
- Rosenbaum, A. J., Grande, D. A., & Dines, J. S. (2008). The use of mesenchymal stem cells in tissue engineering: a global assessment. *Organogenesis*, 4(1), 23-27.
- Ryu, K. H., Cho, S. J., Jung, Y. J., Seoh, J. Y., Kie, J. H., Koh, S. H., et al. (2004). In vitro generation of functional dendritic cells from human umbilical cord blood CD34+ cells by a 2-step culture method. *International Journal of Hematology*, 80(3), 281–286.
- Sakaida, I., Terai, S., Yamamoto, N., Aoyama, K., Ishikawa, T., Nishina, H., et al. (2004). Transplantation of bone marrow cells reduces CCl4-induced liver fibrosis in mice. *Hepatology*, 40(6), 1304-1311.
- Sakakura, T., Nishizuka, Y., & Dawe, C. J. (1976). Mesenchyme-dependent morphogenesis and epithelium-specific cytodifferentiation in mouse mammary gland. *Science*, 194(4272), 1439-1441.

- Sankaranarayanan, K., Chandana, T., Gency Ponrose G., Malini, V., Prithika, U., Renny, C. M., et al., (2011). Humanised substitutes for animal sera in human mesenchymal stem cell culture and differentiation. *Cell Biology International*, doi:10.1042/CBI20100649.
- Sartipy, P., Bjorquist, P., Strehl, R., & Hyllner, J. (2007). The application of human embryonic stem cell technologies to drug discovery. *Drug Discovery Today*, 12(17-18), 688-699.
- Sasaki, T., & Garant, P. R. (1996). Structure and organization of odontoblast. *The Anatomical Record*, 245(2), 235-249.
- Schallmoser, K., Bartmann, C., Rohde, E., Reinisch, A., Kashofer, K., Stadelmeyer, E., et al. (2007). Human platelet lysate can replace fetal bovine serum for clinical-scale expansion of functional mesenchymal stromal cells. *Transfusion*, 47(8), 1436-1446.
- Schallmoser, K., Rohde, E., Reinisch, A., Bartmann, C., Thaler, D., Drexler, C., et al. (2008). Rapid large-scale expansion of functional mesenchymal stem cells from unmanipulated bone marrow without animal serum. *Tissue Engineering Part C, Methods*, 14(3), 185–196.
- Schallmoser, K., & Strunk, D. (2009). Preparation of pooled human platelet lysate (pHPL) as an efficient supplement for animal serum-free human stem cell cultures. *Journal of Visualized Experiments*, 32. doi: 10.3791/1523.
- Sekiya, I., Larson, B. L., Smith, J. R., Pochampally, R., Cui, J. G., & Prockop, D. J. (2002). Expansion of human adult stem cells from bone marrow stroma: conditions that maximize the yields of early progenitors and evaluate their quality. *Stem Cells*, 20(6), 530–541.
- Sell, S. (2001). Heterogeneity and plasticity of hepatocyte lineage cells. *Hepatology*, 33(3), 738-750.
- Selvaggi, T. A., Walker, R. E., & Fleisher, T. A. (1997). Development of antibodies to fetal calf serum with arthus-like reactions in human immunodeficiency virus-infected patients given syngeneic lymphocyte infusions. *Blood*, 89(3), 776 –779.
- Seo, B. M., Miura, M., Gronthos, S., Bartold, P. M., Batouli, S., Brahimi, J., et al. (2004). Investigation of multipotent postnatal stem cells from human periodontal ligament. *Lancet*, 364(9429), 149-155.
- Seo, B. M., Miura, M., Sonoyama, W., Coppe, C., Stanyon, R., & Shi, S. (2005a). Recovery of stem cells from cryopreserved periodontal ligament. *Journal of Dental Research*, 84(10), 907–912.
- Seo, M. J., Suh, S. Y., Bae, Y. C., & Jung, J. S. (2005b). Differentiation of human adipose stromal cells into hepatic lineage in vitro and in vivo. *Biochemical and Biophysical Research Communications*, 328(1), 258–264.

- Shah, G. (1999). Why do we still use serum in the production of biopharmaceuticals?. *Development in Biological Standardization*, 99, 17–22.
- Shahdadfar, A., Fronsdal, K., Haug, T., Reinholt, F. P., & Brinchmann, J. E. (2005). In vitro expansion of human mesenchymal stem cells: choice of serum is a determinant of cell proliferation, differentiation, gene expression, and transcriptome stability. *Stem Cells*, 23(9), 1357-1366.
- Shailer, C., & Corrin, K. (1999). Serum supply: policies and controls operating in New Zealand. *Development in Biological Standardization*, 99, 71-77.
- Shiota, G., & Yasui, T. (2012). Progress in stem cell biology in regenerative medicine for liver disease. *Hepatology Research*, 42(1), 15-21.
- Shu, S. N., Wei, L., Wang, J. H., Zhan, Y. T., Chen, H. S., & Wang, Y. (2004). Hepatic differentiation capability of rat bone marrow-derived mesenchymal stem cells and hematopoietic stem cells. *World Journal of Gastroenterology*, 10(19), 2818-2822.
- Sinanan, A. C., Hunt, N. P., & Lewis, M. P. (2004). Human adult craniofacial muscle-derived cells: neural-cell adhesion molecule (NCAM; CD56)-expressing cells appear to contain multipotential stem cells. *Biotechnology and Applied Biochemistry*, 40(Pt 1), 25–34.
- Sire, J. Y., Davit-Beal, T., Delgado, S., & Gu, X. (2007). The origin and evaluation of enamel mineralization genes. *Cells Tissues Organs*, 186(1), 25-48.
- Si-Tayeb, K., Noto, F. K., Nagaoka, M., Li, J., Battle, M. A., Duris, C., et al., (2010). Highly efficient generation of human hepatocyte-like cells from induced pluripotent stem cells. *Hepatology*, 51(1), 297-305.
- Smith, A. J. (2003). Vitality of the dentin-pulp complex in health and disease: growth factors as key mediators. *Journal of Dental Education*, 67(6), 678-689.
- Snykers, S., De Kock, J., Rogiers, V., & Vanhaecke, T. (2009). In vitro differentiation of embryonic and adult stem cells into hepatocytes: state of the art. *Stem Cells*, 27(3), 577–605.
- Song, Z., Cai, J., Liu, Y., Zhao, D., Yong, J., Duol, S., et al. (2009). Efficient generation of hepatocyte-like cells from human induced pluripotent stem cells. *Cell Research*, 19(11), 1233–1242.
- Sonoyama, W., Liu, Y., Fang, D., Yamaza, T., Seo, B. M., Zhang, C., et al. (2006). Mesenchymal stem cell-mediated functional tooth regeneration in swine. *PLoS ONE*, 1, e79.
- Spees, J. L., Gregory, C. A., Singh, H., Tucker, H. A., Peister, A., Lynch, P. J., et al. (2004). Internalized antigens must be removed to prepare hypoimmunogenic mesenchymal stem cells for cell and gene therapy. *Molecular Therapy*, 9(5), 747-756.

- Stock, D. W. (2007). Zebrafish dentition in comparative context. *Journal of Experimental Zoology, Part B, Molecular and Developmental Evolution*, 308(5), 523-549.
- Stute, N., Holtz, K., Bubenheim, M., Lange, C., Blake, F., & Zander, A.R. (2004). Autologous serum for isolation and expansion of human mesenchymal stem cells for clinical use. *Experimental Hematology*, 32(12), 1212-1225.
- Su, P., Loane, C & Politis, M. (2011). The use of stem cells in the treatment of Parkinson's Disease. *Interscience Journal*, 1(3), 136-156.
- Suchanek, J., Soukup, T., Ivancakova, R., Karbanova, J., Hubkova, V., Pytlik, R., et al. (2007). Human dental pulp stem cells – isolation and long term cultivation. *Acta Medical (Hradec Kralove)*, 50(3), 195-201.
- Sugiyama, T., Kurodo, S., Takeda, Y., Nishio, M., Ito, M., Shichinohe, H., et al. (2011). Therapeutic impact of human bone marrow stromal cells expanded by animal serum-free medium for cerebral infract in rats. *Neurosurgery*, 68(6), 1733-1742.
- Sumita, Y., Tsuchiya, S., Asahina, I., Kagami, H., & Honda, M. J. (2009). The location and characteristics of two populations of dental pulp cells affect tooth development. *European Journal of Oral Science*, 117(2), 113–121.
- Sundin, M., Ringden, O., Sundberg, B., Nava, S., Gotherstrom, C., & Le Blanc, K. (2007). No alloantibodies against mesenchymal stromal cells, but presence of anti-fetal calf serum antibodies, after transplantation in allogeneic hematopoietic stem cell recipients. *Haematologica*, 92(9), 1208-1215.
- Suzuki, A., Iwama, A., Miyashita, H., Nakauchi, H., & Taniguchi, H. (2003). Role for growth factors and extracellular matrix in controlling differentiation of prospectively isolated hepatic stem cells. *Development*, 130(11), 2513–2524.
- Suzuki, A., Zheng, Y. W., Kaneko, S., Onodera, M., Fukao, K., Nakauchi, H., et al. (2002). Clonal identification and characterization of self-renewing pluripotent stem cells in the developing liver. *The Journal of Cell Biology*, 156, 173–184.
- Takashima, Y., Era, T., Nakao, K., Kondo, S., Kasuga, M., Smith, A. G., et al. (2007). Neuroepithelial cells supply an initial transient wave of MSC differentiation. *Cell*, 129(7), 1377–1388.
- Taub, R. (2004). Liver regeneration: from myth to mechanism. *Nature Review, Molecular Cell Biology*, 5(10), 836-847.
- Ten Cate, A. R. (1998). *Oral histology: development, structure and function* (5th ed.). Saint Louis: Mosby Inc.
- Theise, N. D., Badve, S., Saxena, R., Henegariu, O., Sell, S., Crawford, J. M., et al. (2000a). Derivation of hepatocytes from bone marrow cells in mice after radiation-induced myeloablation. *Hepatology*, 31(1), 235-240.

- Theise, N. D., Nimmakayalu, M., Gardner, R., Illei, P. B., Morgan, G., Teperman, L., et al. (2000b). Liver from bone marrow in humans. *Hepatology*, 32(1), 11-16.
- Theise, N. D., Saxena, R., Portmann, B. C., Thung, S. N., Yee, H., Chiriboga, L., et al. (1999). The canals of Herring and hepatic stem cells in humans. *Hepatology*, 30(6), 1425-1433.
- Thesleff, I. (1997). The teeth. In P. Thorogood (Ed.), *Embryos, genes and birth defects* (pp. 329-335). New York: John Wiley & Sons.
- Thesleff, I., Vaahtokari, A., & Partanen, A. M. (1995). Regulation of organogenesis. Common molecular mechanisms regulating the development of teeth and other organs. *The International Journal of Developmental Biology*, 39(1), 35-50.
- Thesleff, I., & Tummers, M. (2009). Tooth organogenesis and regeneration. In StemBook. Retrieved March, 10, 2011 from <http://www.ncbi.nlm.nih.gov/books/NBK27044/>.
- Thiery, J. P., Acloque, H., Huang, R. Y., & Nieto, M. A. (2009). Epithelial-mesenchymal transitions in development and disease. *Cell*, 139(5), 871-890.
- Thomson, J. A., Itskovitz-Eldor, J., Shapiro, S. S., Waknitz, M. A., Swiergiel, J. J., Marshall, V. S., et al. (1998). Embryonic stem cell lines derived from human blastocysts. *Science*, 282(5391), 1145-1147.
- Touboul, T., Hannan, N. R., Corbineau, S., Martinez, A., Martinet, C., Branchereau, S., et al. (2010). Generation of functional hepatocytes from human embryonic stem cells under chemically defined conditions that recapitulate liver development. *Hepatology*, 51(5), 1754-1765.
- Ulmer, F. L., Winkel, A., Kohorst, P., & Stiesch, M. (2010). Stem cells-prospect in dentistry. *Schweizer Monatsschrift fur Zahnmedizin*, 120(10), 860-883.
- Umehara, H., Kimura, T., Ohtsuka, S., Nakamura, T., Kitajima, K., Ikawa, M., et al. (2007). Efficient Derivation of Embryonic Stem Cells by Inhibition of Glycogen Synthase Kinase-3. *Stem Cells*, 25(11), 2705-2711.
- van der Valk, J., Mellor, D., Brands, R., Fischer, R., Gruber, F., Gstraunthaler, G., et al. (2004). The humane collection of fetal bovine serum and possibilities for serum-free cell and tissue culture. *Toxicology In Vitro*, 18(1), 1-12.
- van der Valk, J., Brunner, D., De Smet, K., Fex Svenningsen, A., Honegger, P., Knudsen, L. E., et al. (2010). Optimization of chemically defined cell culture media--replacing fetal bovine serum in mammalian in vitro methods. *Toxicology In Vitro*, 24(4), 1053-1063.
- Vollner, F., Driemel, O., Reichert, T. E., & Morsczeck, C. (2007). Differentiation and characterization of dental follicle precursor cells (PCs). *European Cell Material*, 14(Suppl 2), S111.

- von Bonin, M., Stolzel, F., Goedecke, A., Ritcher, K., Wuschek, N., Holig, K., et al. (2009). Treatment of refractory acute GVHD with third-party MSC expanded in platelet lysate containing medium. *Bone Marrow Transplant*, 43(3), 245–251.
- Wagner, W., Horn, P., Castoldi, M., Diehlmann, A., Bork, S., Saffrich, R., et al. (2008). Replicative senescence of mesenchymal stem cells: A continuous and organized process. *PLoS One*, 3(5), e2213.
- Wang, Y., Huso, D. L., Harrington, J., Kellner, J., Jeong, D. K., Turney, J., et al. (2005). Outgrowth of a transformed cell population derived from normal human BM mesenchymal stem cell culture. *Cytotherapy*, 7(6), 509–519.
- Warnke, P. H., Springer, I. N., Wiltfang, J., Acil, Y., Eufinger, H., Wehmoller, M., et al. (2004). Growth and transplantation of a custom vascularised bone graft in a man. *Lancet*, 364(9436), 766–770.
- Watt, A. J., Garrison, W. D., Duncan, S. A. (2003). HNF4: a central regulator of hepatocyte differentiation and function. *Hepatology*, 37(6), 1249–1253.
- Wei, X., Ling, J., Wu, L., Liu, L., Xiao, Y. (2007). Expression of mineralization markers in dental pulp cells. *Journal of Endodontics*, 33(6), 703–708.
- Willekens, F. L., Werre, J. M., Kruijt, J. K., Roerdinkholder-Stoelwinder, B., Groenen-Dopp, Y. A., van den Bos, A. G., et al. (2005). Liver Kupffer cells rapidly remove red blood cell-derived vesicles from the circulation by scavenger receptors. *Blood*, 105(5), 2141–2145.
- Wise, G. E., Yao, S., Odgren, P. R., & Pan, F. (2005). CSF-1 regulation of osteoclastogenesis for tooth eruption. *Journal of Dental Research*, 84(8), 37–41.
- Wise, G. E., & Yao, S. (2006) Regional differences of expression of bone morphogenetic protein-2 and RANKL in the rat dental follicle. *European Journal Oral Sciences*, 114(6), 512–516.
- Wobus, A. M., & Boheler, K. R. (2005). Embryonic stem cells: prospects for developmental biology and cell therapy. *Physiological Reviews*, 85(2), 635–678.
- Woods, E. J., Perry, B. C., Hockema, J. J., Larson, L., Zhou, D., & Goebel, W. S. (2009). Optimized cryopreservation method for human dental pulp-derived stem cells and their tissues of origin for banking and clinical use. *Cryobiology*, 59(2), 150–157.
- Yalvac, M. E., Ramazanoglu, M., Gumru, O. Z., Sahin, F., Palotas, A., & Rizvanov, A. A. (2009). Comparison and optimisation of transfection of human dental follicle cells, a novel source of stem cells, with different chemical methods and electroporation. *Neurochemical Research*, 34(7), 1272–1277.

- Yamada, Y., Ueda, M., Naiki, T., Takahashi, M., Hata, K., & Nagasaka, T. (2004). Autogenous injectable bone for regeneration with mesenchymal stem cells and platelet-rich plasma: tissue-engineered bone regeneration, *Tissue Engineering*, 10(5-6), 955–964.
- Yamaguchi, M., Hirayama, F., Wakamoto, S., Fujihara, M., Murahashi, H., Sato, N., et al. (2002). Bone marrow stromal cells prepared using AB serum and bFGF for hematopoietic stem cells expansion. *Transfusion*, 42(7), 921–927.
- Yamamoto, Y., Teratani, T., Yamamoto, H., Quinn, G., Murata, S., Ikeda, R., et al. (2005). Recapitulation of in vivo gene expression during hepatic differentiation from murine embryonic stem cells. *Hepatology*, 42(3), 558–567.
- Yamamoto, Y., Banas, A., Murata, S., Ishikawa, M., Lim, C. R., Teratani T., et al. (2008). A comparative analysis of the transcriptome and signal pathways in hepatic differentiation of human adipose mesenchymal stem cells. *The FEBS Journal*, 275(6), 1260–1273.
- Yang, K. L., Chen, M. F., Liao, C. H., Pang, C. Y., & Lin, P. Y. (2009). A simple and efficient method for generating Nurr1-positive neuronal stem cells from human wisdom teeth (tNSC) and the potential of tNSC for stroke therapy. *Cytotherapy*, 11(5), 606–617.
- Yen, A. H., & Sharpe, P. T. (2008). Stem cells and tooth tissue engineering. *Cell and Tissue Research*, 331(1), 359–572.
- Yin, C. H., Chen, W., Hsiao, C. C., Chen, C. L., & Wu, W. T. (2008). Improving albumin production of hepatic lineage cells from mouse embryonic stem cells in vitro. *Biochemical Engineering Journal*, 39(3), 435–442.
- Yokoi, T., Saito, M., Kiyono, T., Iseki, S., Kosaka, K., Nishida, E., et al. (2007). Establishment of immortalized dental follicle cells for generating periodontal ligament in vivo. *Cell and Tissue Research*, 327(2), 301–311.
- Yu, J., Wang, Y., Deng, Z., Tang, L., Li, Y., Shi, J., & Jin, Y. (2007). Odontogenic capability: bone marrow stromal stem cells versus dental pulp stem cells. *Biology of the Cell*, 99(8), 465–474.
- Zhang, Z., Song, Y., Zhang, X., Tang, J., Chen, J., & Chen, Y. (2003). Msx1/Bmp4 genetic pathway regulates mammalian alveolar bone formation via induction of Dlx5 and Cbfa1. *Mechanisms of Development*, 120(12), 1469–1479.
- Zhang, J., Kawashima, N., Suda, H., Nakano, Y., Takano, Y., & Azuma, M. (2006a). The existence of CD11c+ sentinel and F4/80+ interstitial dendritic cells in dental pulp and their dynamics and functional properties. *International Immunology*, 18(9), 1375–1384.



- Zhang, W., Walboomers, X. F., Shi, S., Fan, M., & Jansen, J. A. (2006b). Multilineage differentiation potential of stem cells derived from human dental pulp after cryopreservation. *Tissue Engineering*, 12(10), 2813–2823.
- Zhao, L., Feng, Z., Hu, B., Chi, X., & Jiao, S. (2012). Ex Vivo-Expanded Bone Marrow Mesenchymal Stem Cells Facilitate Recovery from Chemically Induced Acute Liver Damage. *Hepatogastroenterology*, 59(120). doi: 10.5754/hge12288.
- Zemel, R., Bachmetov, L., Ad-El, D., Abraham, A., & Tur-Kaspa, R. (2009). Expression of liver-specific markers in naive adipose-derived mesenchymal stem cells. *Liver International*, 29(9), 1326-1337.
- Zimmerman, A. M., Vierck, J. L., O'Reiley, B. A., & Dodson, M. V. (2000). Formulation of a defined medium to maintain cell health and viability in vitro. *Methods in Cell Science*, 22(1), 43-49.
- Zuk, P. A., Zhu, M., Ashjian, P., De Ugarte D. A., Huang, J. I., Mizuno, H., et al. (2002). Human adipose tissue is a source of multipotent stem cells. *Molecular Biology of the Cell*, 13(12), 4279–4295.